1:Nimuendajú E-5 (1941-1942) 1952
SQ20 Tucuna SQ20

131 Tukuna territory and even far beyond, while the banks of the Putumayo-Içá were
101 held by Aruak tribes—the Mariaté, Yumána, and Passé. To the west they had for neighbors the Yáhua and the Péba. Today this former Tukuna territory is divided among Peru, Colombia, and Brazil.

As the Indians of all these neighboring tribes (with the exception of the Yáhua) became fewer or finally disappeared, the Tukuna began to spread out along both banks and on the islands of the Solimões, where many of them live today, as well as on the lakes and tributaries of the right bank. Similarly, they have settled near the Paraná, on the Camatía and along the lower Jandiatuba. Some of their settlements are on the lower Içá, but representatives of the tribe have appeared most recently on the Auatí-paraná, at approximately 66° 30′ W. longitude. The region of the lower Javary, where they were encountered in the past century, they have since abandoned, and likewise they have abandoned the Poreté region.

133 The entire Tukuna country is part of the Amazon basin, and in the whole region there is not—in the Brazilian part, at least—even one elevation that merits the name of *serra*, nor can any stones be found except a few gravel beds in the upper courses of the igarapés. Lakes and lacustrine topography are found only in the marginal region of the Solimões and in the lower courses of the igarapés. The jungle centers are firm ground. At some points this solid ground extends to the banks of the Solimões, where it forms enormous bluffs twenty-five meters high or more, which are very apt to crumble, especially in times of excessive runoff, and this causes the inhabitants great inconvenience.

During the summer the low riverbanks are bordered with mud beaches. In the winter they are covered with water and become lacustrine zones, with lakes and sinks in some places more than a league* in width. Few of the numerous islands offer a place of shelter from the regular floods; most of them are inundated in the winter to the point of being uninhabitable. These islands with their low banks are also subject to the effects of erosion and inundation to a prodigious degree, the topography sometimes being completely altered within a few years.

132 The climate is hot and humid, and one feels the lack of ventilation in the jungle. Annually in June and July there are sudden very marked cold spells, accompanied by strong winds from the southeast (not the southwest!) and by fine rains which last from one to three days.

133 The year is divided into a rainy winter and a dry summer. The Solimões floods regularly; beginning to rise in December it reaches its highest point (12 m. above the dry level) in March, April, and May, diminishing gradually in June and July. The months of August, September, October, and November witness the drying up of streams, so that the upper courses of the igarapés become unnavigable. However, there are frequently major departures from this pattern.

137 The virgin Amazonian jungle covers this region throughout. Only at the head-
[134] waters of the Igarapé de São Jeronymo are there elevated spots with sandy soil and low vegetation. The jungle itself is rich in vegetable products, of which only timber and rubber are now being exploited.

136 A few decades ago the region was extremely rich in game, but the rise in price of leather rapidly caused the near extermination of such mammals as the tapir

* The Portuguese league equals 6 kilometers.

[Text continues on page 8]